

# CERTIFICATE

Certified Passive House Component


Component-ID 2206wi00 valid until 31st December 2024

Passive House Institute

Dr. Wolfgang Feist

64283 Darmstadt

Germany



Category: Airtightness Systems | **Window Connection**

Manufacturer: **Selena Industrial Technologies Sp. z o.o.**  
Pieszycza 3  
PL 58-200 Dzierżoniów

Product-System: **TYTAN WINS FLEX**

Description: System for airtight and thermal bridge reduced window installation

System Components: TYTAN WINS FLEX Gun Pu-Foam,  
TYTAN WINS FLEX external liquid foil,  
TYTAN WINS FLEX internal liquid foil  
(front-of-wall window installation system MARBET CBM)

permeability

**0,02 m<sup>3</sup>/(mh) (±0,016)**

instructions for use

coherent ✓

recommended  
detailing

comprehensive ✓

**This certificate was awarded based on the following criteria:**

Tested under standard boundary conditions the system meets the listed requirements

Class	permeability per unit length
	@ 50 Pa [m <sup>3</sup> /(hm)]
A+	≤ 0,05
A	≤ 0,30
B	≤ 0,50
C	≤ 0,80

The manufacturer supplies coherent and comprehensive instructions for use and detailing recommendations for all system components. Adhering to these recommendations the system can greatly simplify the execution of an airtight window connection. The complete Certification Report may also be downloaded at [www.passiv.de](http://www.passiv.de).



**CERTIFIED  
COMPONENT**

Passive House Institute